G81-1800

Models may vary from the image shown

Just 19" - quality is not a question of size!

Compact design - that's our 19 inch PC keyboard. Its unique FTSC membrane contact system guarantees a long service life and reliability.

Key benefits

- Mechanical individual keys with membrane contact switches (FTSC technology)
- High quality and compact 19" PC keyboard - space-saving and ergonomic
- Codeset 3 support (PS/2 connection only) e.g. for Unix computers
- Robust and reliable
- High-quality keyboard for professional use
- Can also be delivered without "Windows® keys" (101/102 keys)

Technical Data:

Layout (country or language):
Product dependant, see table "Models"

Housing colour:
Product dependant, see table "Models"

Key colour:
Product dependant, see table "Models"

Weight (product):
approx. 1300 g

Total weight (with packaging):
approx. 1600 g

Cable Length:
approx. 1.75 m

Storage Temperature:
-20°C to 60°C

Operating Temperature:
0°C to 50°C

Current Consumption:
typ. 16 mA

Interface:
Product dependant, see table "Models"

Product approvals:
- cURus
- VDE GS
- c-tick
- CE
- FCC

System requirements:
Product dependant, see table "Models"

Delivery Volume:
- G81-1800
- Printed instructions

Dimensions (product):
approx. 405 x 180 x 44 mm

Packaging dimensions:
approx. 460 x 270 x 50 mm

Reliability:
- MTBF > 80,000 hours
- MCBF > 10 bill. operations

Keyboard:
- Key technology: FTSC
- Service life, standard key: > 50 million key operations
- Operation characteristics: Linear
- Inscription technology: Laser
- Inscription layout: Standard
- Number of Keys: Product dependant, see table "Models"

Packaging Unit:
- Number of products in the master package: 54
- Number of master packages per pallet: 2

Warranty:
2 years

Errors, technical changes and delivery possibilities excepted. Technical information refers only to the specifications of the products. Features may differ from the information provided.

© ZF Friedrichshafen AG • Cherrystraße • 91275 Auerbach/OPf. • Germany
Tel +49 (0) 1805-243779* • Fax +49 (0) 9643 18 1545 • info@cherry.de• www.cherry.de• 2012-08-21
(* 0.14 Euro/min. from German landlines, max. 0.42 Euro/min. from German mobile networks)

Models:

(possible country/layout versions, others available on request)

	Product name	Order number	EAN code	Layout (country or language)	Housing colour	Key colour	Interface	System requirements	Number of Keys
1	G81-1800	G81-1800LPADE-0	4025112046773	Germany	light grey	light grey	PS/2	PS/2 connection	102
2	G81-1800	G81-1800LPAFR-0	4025112046780	France	light grey	light grey	PS/2	PS/2 connection	102
3	G81-1800	G81-1800LPAGB-0	4025112046797	UK	light grey	light grey	PS/2	PS/2 connection	102
4	G81-1800	G81-1800LPAIT-0	4025112072369	Italy	light grey	light grey	PS/2	PS/2 connection	102
5	G81-1800	G81-1800LPARB-0	4025112065071	English (US) / Cyrillic	light grey	light grey	PS/2	PS/2 connection	101
6	G81-1800	G81-1800LPAUS-0	4025112011948	US English	light grey	light grey	PS/2	PS/2 connection	101
7	G81-1800	G81-1800LPAUS-2	4025112064197	US English	black	black	PS/2	PS/2 connection	101
8	G81-1800	G81-1800LPMBB-0	4025112045653	Bulgaria	light grey	light grey	PS/2	PS/2 connection	104
9	G81-1800	G81-1800LPMBE-0	4025112010408	Belgium	light grey	light grey	PS/2	PS/2 connection	105
10	G81-1800	G81-1800LPMBE-2	4025112044519	Belgium	black	black	PS/2	PS/2 connection	105
11	G81-1800	G81-1800LPMCH-0	4025112036521	Switzerland	light grey	light grey	PS/2	PS/2 connection	105
12	G81-1800	G81-1800LPMCH-2	4025112044526	Switzerland	black	black	PS/2	PS/2 connection	105
13	G81-1800	G81-1800LPMDE-0	4025112004759	Germany	light grey	light grey	PS/2	PS/2 connection	105
14	G81-1800	G81-1800LPMDE-2	4025112044533	Germany	black	black	PS/2	PS/2 connection	105
15	G81-1800	G81-1800LPMDK-0	4025112046803	Denmark	light grey	light grey	PS/2	PS/2 connection	105
16	G81-1800	G81-1800LPMDK-2	4025112044540	Denmark	black	black	PS/2	PS/2 connection	105
17	G81-1800	G81-1800LPMES-0	4025112017544	Spain	light grey	light grey	PS/2	PS/2 connection	105
18	G81-1800	G81-1800LPMES-2	4025112044557	Spain	black	black	PS/2	PS/2 connection	105
19	G81-1800	G81-1800LPMEU-0	4025112040832	US English with EURO symbol	light grey	light grey	PS/2	PS/2 connection	104
20	G81-1800	G81-1800LPMEU-2	4025112044618	US English with EURO symbol	black	black	PS/2	PS/2 connection	104
21	G81-1800	G81-1800LPMFR-0	4025112017537	France	light grey	light grey	PS/2	PS/2 connection	105
22	G81-1800	G81-1800LPMFR-2	4025112044564	France	black	black	PS/2	PS/2 connection	105
23	G81-1800	G81-1800LPMGB-0	4025112011979	UK	light grey	light grey	PS/2	PS/2 connection	105
24	G81-1800	G81-1800LPMGB-2	4025112044571	UK	black	black	PS/2	PS/2 connection	105
25	G81-1800	G81-1800LPMGR-2	4025112050374	Greece	black	black	PS/2	PS/2 connection	105

© ZF Friedrichshafen AG • Cherrystraße • 91275 Auerbach/OPf. • Germany
Tel +49 (0) 1805-243779* • Fax +49 (0) 9643 18 1545 • info@cherry.de• www.cherry.de• 2012-08-21
(* 0.14 Euro/min. from German landlines, max. 0.42 Euro/min. from German mobile networks)

	Product name	Order number	EAN code	Layout (country or language)	Housing colour	Key colour	Interface	System requirements	Number of Keys
26	G81-1800	G81-1800LPMHU-0	4025112055102	Hungary	light grey	light grey	PS/2	PS/2 connection	105
27	G81-1800	G81-1800LPMIT-0	4025112017520	Italy	light grey	light grey	PS/2	PS/2 connection	105
28	G81-1800	G81-1800LPMIT-2	4025112044588	Italy	black	black	PS/2	PS/2 connection	105
29	G81-1800	G81-1800LPMNL-0	4025112017551	Netherlands	light grey	light grey	PS/2	PS/2 connection	105
30	G81-1800	G81-1800LPMNO-0	4025112046810	Norway	light grey	light grey	PS/2	PS/2 connection	105
31	G81-1800	G81-1800LPMNO-2	4025112044595	Norway	black	black	PS/2	PS/2 connection	105
32	G81-1800	G81-1800LPMPL-0	4025112055096	Poland	light grey	light grey	PS/2	PS/2 connection	105
33	G81-1800	G81-1800LPMPO-0	4025112039812	Portugal	light grey	light grey	PS/2	PS/2 connection	105
34	G81-1800	G81-1800LPMRB-0	4025112010415	English (US) / Cyrillic	light grey	light grey	PS/2	PS/2 connection	104
35	G81-1800	G81-1800LPMSF-0	4025112017513	Sweden / Finland	light grey	light grey	PS/2	PS/2 connection	105
36	G81-1800	G81-1800LPMSF-2	4025112044601	Sweden / Finland	black	black	PS/2	PS/2 connection	105
37	G81-1800	G81-1800LPMTS-0	4025112047367	Czech Republic	light grey	light grey	PS/2	PS/2 connection	105
38	G81-1800	G81-1800LPMUS-0	4025112009600	US English	light grey	light grey	PS/2	PS/2 connection	104
39	G81-1800	G81-1800LPMUS-2	4025112044625	US English	black	black	PS/2	PS/2 connection	104
40	G81-1800	G81-1800LUMCH-2	4025112052828	Switzerland	black	black	USB	USB connection	105
41	G81-1800	G81-1800LUMDE-0	4025112017346	Germany	light grey	light grey	USB	USB connection	105
42	G81-1800	G81-1800LUMDE-2	4025112056079	Germany	black	black	USB	USB connection	105
43	G81-1800	G81-1800LUMES-0	4025112019401	Spain	light grey	light grey	USB	USB connection	105
44	G81-1800	G81-1800LUMEU-0	4025112059018	US English with EURO symbol	light grey	light grey	USB	USB connection	104
45	G81-1800	G81-1800LUMEU-2	4025112050640	US English with EURO symbol	black	black	USB	USB connection	104
46	G81-1800	G81-1800LUMFR-0	4025112068683	France	light grey	light grey	USB	USB connection	105
47	G81-1800	G81-1800LUMFR-2	4025112056062	France	black	black	USB	USB connection	105
48	G81-1800	G81-1800LUMGB-0	4025112056048	UK	light grey	light grey	USB	USB connection	105
49	G81-1800	G81-1800LUMGB-2	4025112056055	UK	black	black	USB	USB connection	105
50	G81-1800	G81-1800LUMRC-0	4025112072154	English (US) / Chinese	light grey	light grey	USB	USB connection	104
51	G81-1800	G81-1800LUMSF-2	4025112069710	Sweden / Finland	black	black	USB	USB connection	105

© ZF Friedrichshafen AG • Cherrystraße • 91275 Auerbach/OPf. • Germany
Tel +49 (0) 1805-243779* • Fax +49 (0) 9643 18 1545 • info@cherry.de• www.cherry.de• 2012-08-21
(* 0.14 Euro/min. from German landlines, max. 0.42 Euro/min. from German mobile networks)

	Product name	Order number	EAN code	Layout (country or language)	Housing colour	Key colour	Interface	System requirements	Number of Keys
52	G81-1800	G81-1800LUMUS-0	4025112017353	US English	light grey	light grey	USB	USB connection	104
53	G81-1800	G81-1800LUMUS-2	4025112049613	US English	black	black	USB	USB connection	104

© ZF Friedrichshafen AG • Cherrystraße • 91275 Auerbach/OPf. • Germany
Tel +49 (0) 1805-243779* • Fax +49 (0) 9643 18 1545 • info@cherry.de• www.cherry.de• 2012-08-21
(* 0.14 Euro/min. from German landlines, max. 0.42 Euro/min. from German mobile networks)